



**उत्पाद मैन्युअल
सामान्य कार्यों के लिए कुर्सियाँ और स्टूल
आई एस 17632:2022 के अनुसार**

**PRODUCT MANUAL
GENERAL PURPOSE CHAIRS AND STOOLS
ACCORDING TO IS 17632:2022**

विभिन्न उत्पादों के लिए भारतीय मानक (व्यूरो) अनुरूपता मूल्यांकन (विनियम, 2018 की योजना -I के तहत प्रमाणन के संचालन में एकरूपता और पारदर्शिता के लिए इस उत्पाद मैन्युअल का उपयोग सभी क्षेत्रीय / शाखा कार्यालयों और लाइसेंसधारियों द्वारा संदर्भ सामग्री के रूप में किया जाएगा। दस्तावेज़ का उपयोग बीआईएस प्रमाणन प्राप्त करने के इच्छुक संभावित आवेदकों द्वारा भी किया जा सकता है।

This Product Manual shall be used as reference material by all Regional/Branch Offices & licensees to ensure uniformity of practice and transparency in operation of certification under Scheme-I of Bureau of Indian Standards (Conformity Assessment)Regulations,2018 for various products. The document may also be used by prospective applicants desirous of obtaining BIS certification.

1.	मानक संख्या IS No.	:	IS 17632 : 2022
	शीर्षक Title	:	General Purpose Chairs and Stools
	संशोधनों की संख्या No. of amendments	:	1
2.	नमूना दिशानिर्देश Sampling Guidelines	:	
a)	कच्चा माल Raw material	:	All types of surface material [fabric and/or leather (synthetic and natural)], which shall be tested for the tests as per Clause 6.2 of IS 17632:2022, shall conform the minimum performance requirements specified in IS 17637. Note: This section indicates the requirements for raw material (if specified in the IS) for which compliance is to be established during Grant of Licence/Change in Scope of Licence/ Factory Surveillance
b)	समूहीकरण दिशानिर्देश Grouping Guidelines	:	Please refer to Annex-A

c)	नमूने का परिमाण Sample Quantity	: <ul style="list-style-type: none"> 2 Chairs – For Dimensional and Safety requirements (clause 4, 5 & 7) <p>Note: This section indicates the quantity of the sample of the product and/or the raw material (if applicable), required to be sent to the laboratory for testing, for the purpose of Grant of Licence/Change in Scope of Licence/ Factory Surveillance (incase of market surveillance, effort may be made to procure the required quantity of product sample, as far as possible since raw material sample may not be available in market)</p>												
d)	परीक्षण अनुरोध में घोषित किए जाने वाले पैरामीटर Parameters to be Declared in Test Request	: <ul style="list-style-type: none"> Same as the scope of licence Drawing and technical specification of the concerned model(s) of the chair drawn 												
3.	परीक्षण उपकरणों की सूची List of Test Equipment	: Please refer to Annex-B												
4.	निरीक्षण और परीक्षण की स्कीम Scheme of Inspection and Testing	: Please refer to Annex-C												
5.	एक दिन में संभावित परीक्षण Possible tests in a day	<ul style="list-style-type: none"> (i) Design and Workmanship (Cl 4) (ii) Dimensions (Cl 5) (iii) Stability test and Strength test (Cl 7.2 & 7.3) <p>Note: This section is for the guidance of BIS Certification Officers/Technical Auditors of BIS Authorized Outside Surveillance Agencies (OSAs) during factory inspection to provide ready reference regarding the tests which can be witnessed during the inspection in the factory by the officer/auditor.</p>												
6.	लाइसेंस का दायरा /Scope of the Licence:	<p>“Licence is granted to use Standard Mark as per IS 17632:2022 with the following scope:</p> <table border="1"> <tr> <td>Name of the product</td><td>General Purpose Chairs and Stools</td></tr> <tr> <td>Type of Product</td><td>Chairs/ Stools</td></tr> <tr> <td>Category</td><td>Type 1 / Type 2</td></tr> <tr> <td>Model (by name/number/code)</td><td> 1st Family : xxxxxxxx Lead Model Name (variant): xxxxx, Other Model Names (variants) of the same Family : xxxx, xxxx 1st Family : xxxxxxxx Lead Model Name (variant): xxxxx, Other Model Names (variants) of the same Family : xxxx, xxxx ----- </td></tr> <tr> <td></td><td>-----</td></tr> <tr> <td></td><td>-----</td></tr> </table>	Name of the product	General Purpose Chairs and Stools	Type of Product	Chairs/ Stools	Category	Type 1 / Type 2	Model (by name/number/code)	1 st Family : xxxxxxxx Lead Model Name (variant): xxxxx, Other Model Names (variants) of the same Family : xxxx, xxxx 1 st Family : xxxxxxxx Lead Model Name (variant): xxxxx, Other Model Names (variants) of the same Family : xxxx, xxxx -----		-----		-----
Name of the product	General Purpose Chairs and Stools													
Type of Product	Chairs/ Stools													
Category	Type 1 / Type 2													
Model (by name/number/code)	1 st Family : xxxxxxxx Lead Model Name (variant): xxxxx, Other Model Names (variants) of the same Family : xxxx, xxxx 1 st Family : xxxxxxxx Lead Model Name (variant): xxxxx, Other Model Names (variants) of the same Family : xxxx, xxxx -----													

ANNEX A

Grouping Guidelines

1. IS 17632:2022 covers the requirements of General Purpose Chairs and Stools. The Standard applies to completely manufactured/ fabricated General Purpose Chairs and Stools as well as ready-to-assemble units.

2. General Purpose Chairs and Stools covered in IS 17632:2022 are classified as follows :
 - (a) Type of Product : Chairs/ Stools
 - (b) Category : Type 1 (dining, folding, easy chairs or stools, etc. for domestic use),
Type 2 (Training, conference, visitors cafeteria chairs and stools, including highchairs etc, for institutional use)
 - (c) Model Name (variant)

3. **Family of models and Lead model in a family:**
 - (a) The manufacturer shall declare all the model names (variants) of the chairs along with following essential parameters of each model:
 - (i) Type of Product : Chairs/ Stools
 - (ii) Category : Type 1 / Type 2
 - (iii) Construction of product :
 - With castors / Without castors
 - With footrest / Without footrest

 - (b) The manufacturer shall also provide the drawing and technical specifications of each model name (variant). The drawing shall include the essential parameters defined at 3(a) above and the information w.r.t. the availability of armrests, material of the load bearing components of chair and overall dimensions of chairs.

 - (c) The manufacturer shall identify the **Family of Models (variants)** and declare the name of the **Lead Model** in each Family along with the names of the other models (variants) to be covered in that Family. A **Family of Models (variants)** is defined as a group of models (variants) having same essential parameters as defined at Serial 2 (a) above as that of the declared Lead Model.

The **Lead Model (variant)** in a family of models shall incorporate the maximum number of components so that maximum test parameters as given in the Standard can be tested; and it shall be the most adverse model in that family in terms of safety requirements, design and construction, material of the load bearing components, width, height, thickness, etc.

The manufacturer shall provide **justification** for covering the various models under the same Family as well as for selection of the Lead Model.

BO shall review the justification provided as above and shall ensure that the selection of the lead model within the family of models is appropriate.

4. For GoL/CSoL of chairs, the grouping guidelines as given below are to be followed:
 - (a) Sample of the declared Lead model of a family of models of chairs or stools shall be tested to cover all the models in that family of chairs or stools without separate testing of those models.
5. The Firm shall declare the varieties (i.e. Type of Product, Category and models) of chairs they intend to cover in the Licence. The Scope of Licence may be restricted based on the Manufacturing and Testing capabilities of the Manufacturer.
6. During operation of the licence if new models (variants) are intended to be covered within the existing families of lead models (variants) that are already covered in the scope of licence, firm shall submit the details as per para (2) above along with the drawings, technical specification and justification for coverage within the same Family as well as the adversity of model(s) with respect to the tested Lead Model. On receipt of the details, BO shall review the request of the firm and take action as per para 2(c) for inclusion of these new models (variants). In case, BO is satisfied that the adversity of the models proposed to be included is lesser than the tested lead model then the endorsement shall be issued accordingly, and there is no requirement to collect charges towards inclusion. However, if there is change in the lead model in the same family or a new Family of models is proposed to be included, then such cases shall be processed as per the Regulation 10 of Scheme-I of Schedule-II of BIS (Conformity Assessment) Regulations, 2018.
7. During the operation of the Licence, BO shall ensure that all the models covered in the Licence are tested in rotation, to the extent possible.

ANNEX B

List of Test Equipment

(INDICATIVE LIST, FOR GUIDANCE ONLY)

Sl. No.	Tests used in with Clause Reference	Test Equipment
1	Dimensions (clause 5)	<ul style="list-style-type: none"> - Micrometer, Vernier caliper - Measuring tape - Steel scale - Angle protractor
Surface Performance (Tests on rigid surfaces of materials)		
2	Resistance to mechanical damage	<ul style="list-style-type: none"> - As per IS 17641:2021, or, as per Annex B-2 of IS 17637:2021
	Pencil hardness	<ul style="list-style-type: none"> - as per Annex C-1 of IS 17637:2021
	Resistance to wet heat	<ul style="list-style-type: none"> - Air conditioner, humidifier & hygrometer - as per Clause 5 of IS 17639:2021
	Resistance to dry heat	<ul style="list-style-type: none"> - as per Clause 5 of IS 17638:2021
	Resistance to marking by cold liquids	<ul style="list-style-type: none"> - as per Clause 3 of IS 17640:2021
	Resistance to marking by cold oils and fats	<ul style="list-style-type: none"> - as per Clause 3 of IS 17640:2021
	Adhesive performance	<ul style="list-style-type: none"> - as per Annex D-2 of IS 17637:2021
	Surface Performance (Fabric & leather (synthetic & Natural))	
3	Breaking load	<ul style="list-style-type: none"> - as per IS 1969(Part 1) or IS 7016 (Part 2)
	Elongation at break	<ul style="list-style-type: none"> - as per IS 1969(Part 1) or IS 7016 (Part 2)
	Tear strength for fabric and leather	<ul style="list-style-type: none"> - as per IS 6489 (Part 1) IS 7016 (Part 3/Sec 1) or - IS 7016 (Part 3/Sec 2)
	Colour fastness to light for fabric and leather	<ul style="list-style-type: none"> - as per IS/ISO 105-B02
	Colour fastness to rubbing for fabric and leather	<ul style="list-style-type: none"> - as per IS/ISO 105-X12
	Colour fastness to perspiration	<ul style="list-style-type: none"> - as per IS/ISO 105-E04
	Colour fastness to water for fabric and leather	<ul style="list-style-type: none"> - as per IS/ISO 105- E01
	Pilling resistance	<ul style="list-style-type: none"> - as per IS 10971 (Part 1) or (Part 2)
	Coating adhesion strength	<ul style="list-style-type: none"> - as per IS 7016 (Part 5)
	Seam slippage	<ul style="list-style-type: none"> - as per IS/ISO 13936-2
	Resistance to damage by flexing	<ul style="list-style-type: none"> - as per IS 7016 (Part 4)

Abrasion resistance	- as per IS 12673 (Part 2)
Bursting strength	- as per IS 1966 (Part 1)
Resistance to cold	- as per IS 1259
Tear strength for natural leather	- as per IS 5914
Flexing endurance	- as per IS 5914
Finish adhesion	- as per IS 6191 (Part 5)
Colour fastness to artificial light	- as per IS/ISO 105 B02
Colour fastness to rubbing for natural leather	- as per IS 6191 (Part 4)
Colour fastness to water spotting	- as per IS 6191 (Part 1)
Water vapour permeability	- as per IS 5914
Colour fastness to water for natural leather	- as per IS 6191 (Part 2)

Tests on Furniture -

4	Stability test (Clause 7.3)	<ul style="list-style-type: none"> - Test surface as per Clause B-2 of IS 17632 - Stops as per Clause B-3 of IS 17632 - Seat-Loading Pad as per Clause B-4 of IS 17632 - Smaller Seat-Loading Pad as per Clause B-5 of IS 17632
5	Static-Load test (Clause 7.4)	<ul style="list-style-type: none"> - Local Loading Pad as per Clause B-6 of IS 17632 - Back-Loading Pad as per Clause B-7 of IS 17632 - Foam for Facing Loading Pad as per Clause B-8 of IS 17632
6	Durability test (Clause 7.5)	<ul style="list-style-type: none"> - Seat Impactor as per Clause B-9 of IS 17632 - Impact Hammer as per Clause B-10 of IS 17632

ANNEX C
SCHEME OF INSPECTION AND TESTING

1. QUALITY ASSURANCE PLAN

1.1 It is expected that during operation of BIS licence, manufacturers will implement a Quality Assurance Plan (QAP) i.e. a plan of regular testing and in-process controls, designed to ensure that the product bearing the Standard Mark conforms to all requirements of the Indian Standard.

1.2 The manufacturers shall define a Quality Assurance Plan (QAP) defining the control unit (i.e. lot/batch etc.), the levels of control (i.e. the frequency and number of samples for conducting the different tests as per the Indian Standard) and declare the arrangement for testing i.e. whether in-house or subcontracting/sharing for each applicable test and submit the same to BIS Branch Office for information. The manufacturer shall comply with the QAP and maintain test records in accordance with para 2.1.

1.3 RECOMMENDED LEVELS OF CONTROL/CONTROL UNIT:

1.3.1 For the guidance of manufacturers, the recommended definition of control unit is : All chairs or stools of same family of models, manufactured in a month shall constitute a control unit.

1.3.2 For the guidance of manufacturers in preparing the Quality Assurance Plan, recommended levels of control are given in **Table 1**. Manufacturer has the discretion of declaring their own levels of control or accept the levels of control given in this document.

1.3.3 The manufacturer shall ensure inspection and testing as per the Quality Assurance Plan submitted by them on the whole production of the factory which is covered by this plan.

2. ENSURING COMPLIANCE THROUGH TESTING- manufacturers shall ensure compliance of their products to all the requirements of the Indian Standard for which they may have in-house test facilities. However, there is no obligation to maintain in-house laboratory. Licensee may use alternative arrangements for tests of the production as per the declared QAP. Various alternatives are available for operation of BIS certification as given below and the relevant guidelines for availing such relaxations by the manufacturers, as amended from time to time, are to be referred :

- i) Shared testing resources like common facility,
- ii) Cluster based testing facility,
- iii) Sub-contracting to outside laboratories which may either be:
 - a) BIS recognised/empanelled laboratories, or
 - b) Any accredited laboratory as per ISO/IEC 17025

2.1 TEST RECORDS- The manufacturers shall maintain test records for the tests carried out (either in-house or at a sub-contracted or at shared test facility) to establish conformity of the product to the Standard for operation of licence. For the tests being subcontracted or conducted at a shared

test facility, test results issued by the laboratories or test facilities, shall be made available for inspection by BIS.

3. PACKING AND MARKING - The Standard Mark as given in the Schedule of the licence shall be incorporated legibly and indelibly on each chairs provided always that the material so marked conforms to each requirement of the specification.

3.1 Marking shall be done as per Clause No 9 of IS 17632:2022. Additionally, name of the model (variant) shall also be marked on the product.

3.2 **Additional Marking requirements:** Additionally, the following shall also be marked on product or package :

- a) "For BIS certification details please visit www.bis.gov.in"

4. REJECTION - The production which conforms to the Indian Standard and covered under the scope of this licence shall be marked with the Standard Mark. Disposal of non-conforming product shall be done in such a way so as to ensure that there is no violation of provisions of BIS Act,2016.

TABLE 1*(Recommended Levels of Control by BIS- for Guidance Only)*

(1)				(2)							
Test Details				Levels of Control							
Cl.	Requirement	Test Methods		No. of Sample	Frequency	Remarks					
		Clause	Reference								
4	Design and workmanship	4	IS 17632	Firm to have adequate in-process controls to check compliance of this parameter as per the tolerances given in the Indian Standard. However, appropriate records shall be maintained by the manufacturer for evidence of conformity.							
5	Dimensions	-	IS 3663, , or as declared								
6	Surface performance (of materials)										
	Rigid Surfaces	-	IS 17637	One	Each Consignment	No further testing is required if accompanied with test certificate or ISI marked.					
	Fabric and Synthetic Leather					If the raw material has already been tested for the applicable requirements mentioned in 6.2, then no re-testing shall be carried out with the final product.					
	Natural Leather										
7	SAFETY REQUIREMENTS										
7.2	Stability Test										
	Forwards Overbalancing and Sideways Overbalancing for Chairs without Arms	7.2.1	IS 17632	One	Each control unit	-					
	Rearwards Overbalancing	7.2.2									
	Sideways Overbalancing for Chairs with Arms	7.2.3									
	Stools/ Poufs (All Directions)	7.2.4									

	Strength Test							
	Static Load Test (Cl 7.3.1) -							
7.3	Seat static load test	7.3.1.1	IS 17632	One	Each control unit			
	Back static load test	7.3.1.2						
	Armrests/Wings sideways static load test	7.3.1.3						
	Arm downwards static load test	7.3.1.4						
	Leg forward static load test	7.3.1.5						
	Leg sideways static load test	7.3.1.6						
	Diagonal base load test	7.3.1.7						
	Foot rest static-load test	7.3.1.8						
	Impact Test (Cl 7.3.2) -							
	Seat impact test	7.3.2.1						
7.4	Back impact test	7.3.2.2	IS 17632	One	Each lead model produced during the period shall be tested in rotation so that all the lead models are tested in a period of three years			
	Arm impact test	7.3.2.3						
	Drop test	7.3.2.4						
	Durability Tests							
	Seat Fatigue Test	7.4.1						
	Back Fatigue Test	7.4.2						
	Arm Rest Durability	7.4.3						

Note-1: All the safety tests mentioned in clause 7 of IS 17633:2022 shall be carried out on samples from same lot.